



# Reference Formula

Created Date : 11/20/2014 4:01 PM  
Last Save Date : 11/30/2017 12:02 AM

## ES-5300 出水 BB霜

EP-CC-F-0045A\_V1

### FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight
A	<b>ES-5300 Formulation Aid (Dow Corning)</b>	<b>Lauryl PEG-10 Tris (trimethylsiloxy)silylethyl Dimethicone</b>	<b>0.80%</b>
	<b>PMX-0345 Cyclosiloxane Blend (Xiameter)</b>	<b>Cyclopentasiloxane (and) Cyclohexasiloxane</b>	<b>8.00%</b>
	<b>ERCAREL TCC V (Erca Wilmar) Rose (Lothar Streeck)</b>	<b>Caprylic/Capric Triglyceride Perfume</b>	<b>2.00% 0.10%</b>
	<b>556 Cosmetic Grade Fluid (Dow Corning)</b>	<b>Phenyl Trimethicone</b>	<b>2.00%</b>
	POW-711	Pigment	3.00%
	<b>Parsol TX (DSM)</b>	<b>Titanium Dioxide, Silica, Dimethicone</b>	<b>1.00%</b>
C	D.I Water	D.I Water	76.92%
	NaCl	Sodium Chloride	1.00%
	Glycerine USP	Glycerine	5.00%
	MTI	Methylisothiazolinone, Iodopropynyl butylcarbamate	0.18%

### PROCEDURE

1. Prepare Phase A ,B and C separately.
2. Add Phase B to A under stirring.
3. Slowly add Phase C to A+B under stirring..

### SPECIFICATION

APPEARANCE	: Brown Cream
VISCOSITY	: approx. 27,920 ± 1,000 CP (RVDV-E, T-C, 12 rpm, 3 min, 25°C)

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : [www.essence-plus.com](http://www.essence-plus.com) E-MAIL : [service@essence-plus.com](mailto:service@essence-plus.com)

