



# Reference Formula

Created Date: 6/20/20 4:21 PM  
Last Save Date: 3/22/21 10:41 AM

## Kiss me Velvet(9080+9610+VM2270)

EP-CC-L-0033A V1

### FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight	Function
W1	<b>SW-8005 C30 Resin Wax</b> <sup>1</sup>	<b>C30-45 Alkyldimethylsilyl Polypropylsilsequioxane</b>	<b>6.00%</b>	Thickener (Oily)
	<b>Paracera</b> <sup>TM</sup> <b>P</b> <sup>11</sup>	<b>Paraffin</b>	<b>6.00%</b>	Thickener (Oily)
	P.P	Propyl Paraben	0.10%	Preservative
	<b>2503 Cosmetic Wax</b> <sup>1</sup>	<b>Stearyl Dimethicone (and) Octadecene</b>	<b>3.00%</b>	Skin feel modifiers
W2	<b>ES-5300 Formulation Aid</b> <sup>1</sup>	<b>Lauryl PEG-10 Tris(trimethylsiloxy)silyethyl Dimethicone</b>	<b>1.20%</b>	Dispersant
	<b>DOWSIL</b> <sup>TM</sup> <b>FZ-3196 Fluid</b> <sup>1</sup>	<b>Caprylyl Methicone Cyclopentasiloxane (and) Dimethicone/Vinyl Dimethicone Crosspolymer</b>	<b>4.00%</b>	Emollient
	<b>EL-9080 Silicone Elastomer Blend</b> <sup>1</sup>	<b>Dimethicone/Vinyl Dimethicone Crosspolymer</b>	<b>9.00%</b>	Skin feel modifiers
	<b>EP-9610 Cosmetic Powder</b> <sup>1</sup>	<b>Dimethicone Crosspolymer</b>	<b>3.00%</b>	Thickener (Oily)/Skin feel modifiers
	<b>VM-2270 Aerogel Fine Particles</b> <sup>1</sup>	<b>Silica Silylate</b>	<b>1.00%</b>	Thickener (Oily)/Skin feel modifiers
	<b>PMX-1184 Silicone Fluid</b> <sup>1</sup>	<b>Dimethicone and Trisiloxane</b>	<b>17.50%</b>	Emollient
	Red 36		1.60%	Pigment
	Fe <sub>2</sub> O <sub>3</sub> (Red)	Iron Oxide	2.40%	Pigment
	KEMIRA AC360	Titanium dioxide · Alumina · Triethoxycaprylyl silane	1.00%	Pigment
	EO100 Helios Skin Sienna		4.00%	Pearl powder
FANCOL ID-CG	Isododecane	20.00%	Emollient	

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : [www.essence-plus.com](http://www.essence-plus.com) E-MAIL : [service@essence-plus.com](mailto:service@essence-plus.com)





# Reference Formula

Created Date: 6/20/20 4:21 PM  
Last Save Date: 3/22/21 10:41 AM

---

<b>FA 4004 ID Silicone Acrylate</b> 1	<b>Isododecane (and) Acrylates/Polytrimethy lsiloxymethacrylate Copolymer</b>	<b>20.00%</b>	Film-forming
<b>d-<math>\alpha</math>-Tocopheryl Acetate</b> 2	<b>Tocopheryl Acetate</b>	<b>0.20%</b>	Antioxidant

---

Suppliers: 1. Dow Chemical; 2.DSM; 11.Paramelt

## PROCEDURE

1. Prepare Phase W1 and heating at 80°C.
2. Add Phase W2 under homogenize.

## SPECIFICATION

---

APPEARANCE : Red Ointment

---

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : [www.essence-plus.com](http://www.essence-plus.com) E-MAIL : [service@essence-plus.com](mailto:service@essence-plus.com)

