



# Reference Formula

Created Date : 2/19/2016 1:40:00 PM  
Last Save Date : 10/2/2016 3:11:00 PM

## 光亮彈力護髮素 EP-HC-C-0038A\_V1

### FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight
A	<b>RM 2051 Thickening Agent (Dow Corning)</b>	<b>Sodium Polyacrylate (and) Dimethicone (and) Cyclopentasiloxane (and) Trideceth-6 (and) PEG/PPG 18/18 Dimethicone</b>	<b>3.00%</b>
	D.I Water	D.I Water	77.20%
	<b>PMX-0245 Cyclopentasiloxane (Xiameter) 556 Cosmetic Grade Fluid (Dow Corning) PMX-1411 Fluid (Xiameter)</b>	<b>Cyclopentasiloxane Phenyl Trimethicone</b>	<b>2.00% 10.00%</b>
		<b>Cyclopentasiloxane (and) Dimethicone Silicone Quaternium-16/Glycidoxy Dimethicone Crosspolymer and Undeceth-11 and Undeceth-5</b>	<b>3.00% 4.00%</b>
B	<b>CE-7080 Smart Style (Dow Corning)</b>	<b>Perfume</b>	<b>0.50%</b>
C	<b>Cintia Super (Lothar Streeck)</b>	DMDM Hydantoin (and) Iodopropynyl Butylcarbamate	0.30%
	Glydant Plus Liquid		

### PROCEDURE

1. Prepare Phase A under stirring.
2. Add Phase B and C under stirring.

### SPECIFICATION

APPEARANCE	: White Cream	
VISCOSITY	: approx. 24,130 ± 1,000 CP	(RVDV-E, RV-5, 12 rpm, 3 min, 25°C)
pH	: approx. 5.98 ± 0.5	(25°C)

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : [www.essence-plus.com](http://www.essence-plus.com) E-MAIL : [service@essence-plus.com](mailto:service@essence-plus.com)

