



# Reference Formula

Created Date : 6/22/2021 10:26 AM  
Last Save Date : 6/22/2021 10:26 AM

## 精華液 (PCG-10 0.5%)

EP-SC-G-0065A\_V1

### FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight
A	D.I Water	D.I Water	67.90%
	<b>CELLOSIZETM Polymer</b>	<b>Hydroxyethylcellulose</b>	<b>25.00%</b>
	<b>PCG-10(Dow Corning) (2% soln')</b>		
B	<b>Syn-UPTM (DSM)</b>	<b>Glycerin, Aqua, Benzylsulfonyl D-Seryl Homophenylalanine Amidinobenzamide Acetate, Citric Acid, Sodium Hydroxide</b>	<b>1.00%</b>
	<b>Syn®-COLL (DSM)</b>	<b>Glycerin, Aqua, Palmitoyl Tripeptide-5</b>	<b>1.00%</b>
	<b>Regu-Scence (DSM)</b>	<b>Aqua, Glycerin, Propanediol, Asparagus Officinalis Stem Extract, Sodium Benzoate, Potassium Sorbate, Gluconolactone, Calcium Gluconate</b>	<b>1.00%</b>
	<b>Niacinamide PC (DSM)</b>	<b>Niacinamide</b>	<b>3.00%</b>
	<b>D-Panthenol (Vitamin B5) (DSM)</b>	<b>Panthenol</b>	<b>0.30%</b>
	<b>Pentavitin (DSM)</b>	<b>Saccharide Isomerate, Aqua, Citric Acid, Sodium Citrate</b>	<b>0.50%</b>
C	Glydant Plus Liquid	DMDM.Hydantion & Iodopropynyl Butyl carbamate	0.30%

### PROCEDURE

1. Prepare Phase A and add Phase B one by one under stirring.
2. Add Phase C into Phase A+B.

### SPECIFICATION

APPEARANCE	: Clear Liquid
VISCOSITY	: approx. 354 ± 100 CP (RVDV-E,RV-1,20rpm,3min, 25 °C)

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : [www.essence-plus.com](http://www.essence-plus.com) E-MAIL : [service@essence-plus.com](mailto:service@essence-plus.com)

