



Reference Formula

Sample preparation date:5/14/21 3:33 PM

慕斯奶蓋潤澤潔面泡沫

W210514

FORMULA

| Phase | Ingredient (Trade Name) | Ingredient (INCI Name) | % By Weight | Function |
|-------|--|---|--------------|---------------|
| A | D.W | Water | 37.00% | |
| | Dipropylene Glycol LO+¹ | Dipropylene Glycol | 2.00% | Moisturizer |
| | UCARE™ Polymer LR-30M¹ | Polyquaternium-10 | 0.10% | Skin Soft |
| B | EcoSense 3000 Surfactant¹ | Decyl Glucoside | 6.00% | Surfactant |
| | Tego Betain L7 (CAPB 30%) | Cocamidopropyl Betaine | 21.00% | Surfactant |
| | Comperlan® KD | Cocamide DEA | 1.00% | Surfactant |
| | Amisoft® CT-12S | TEA- Cocoyl Glutamate | 10.00% | Surfactant |
| C | Carbitol™ Solvent JSQI¹ | Ethoxydiglycol | 2.00% | Solubilizer |
| | Tween 20 | Polysorbate 20 | q.s | Co-Emulsifier |
| | Mineral Oil | Mineral Oil | 3.00% | Emollient |
| | HMW 2220 Non-Ionic Emulsion¹ | Divinyldimethicone/D imethicone Copolymer and C12-13 Pareth-23 and C12-13 Pareth-3 | 3.00% | Emollient |
| | Red Dye 0.1% | Red Dye | 0.10% | Dye |
| | Euxyl PE 9010 | Phenoxyethanol (and) Ethylhexylglycerin | 0.80% | Preservative |

Supplier: 1. Dow Chemical

PROCEDURE

1. Prepare Phase A under stirring.
2. Add Phase B to Phase A under stirring.
3. Finally add Phase C one by one into main tank under stirring.

SPECIFICATION

| | |
|------------|-----------------------------|
| APPEARANCE | : Two Phase Liquid |
| pH | : approx. 5.25 ± 0.5 (25°C) |

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com

