



Reference Formula

Sample preparation date: 5/17/21 4:21 PM

Kiss me Velvet (9608)

W210517

FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight	Function
O1	SW-8005 C30 Resin Wax ¹	C30-45 Alkyldimethylsilyl Polypropylsilsesquioxane	6.00%	Thickener (Oily)
	Paracera TM P ¹¹	Paraffin	6.00%	Thickener (Oily)
	P.P	Propyl Paraben	0.10%	Preservative
	2503 Cosmetic Wax ¹	Stearyl Dimethicone (and) Octadecene	3.00%	Skin feel Modifiers
O2	VM-2270 Aerogel Fine Particles ¹	Silica Silylate	1.00%	Thickener (Oily)
O3	DOWSIL TM EP-9608 Cosmetic Powder ¹	Dimethicone Crosspolymer (and) Dimethicone	9.00%	Skin feel modifiers
	EP-9610 Cosmetic Powder ¹	Dimethicone Crosspolymer	3.00%	Thickener (Oily)/Skin feel modifiers
O4	ES-5300 Formulation Aid ¹	Lauryl PEG-10 Tris(trimethylsiloxy)silylethyl Dimethicone	1.20%	Dispersant
	DOWSIL TM FZ-3196 Fluid ¹	Caprylyl Methicone	4.00%	Emollient
	Red 36	Pigment	1.60%	Pigment
	Fe ₂ O ₃ (Red)	Iron Oxide	2.40%	Pigment
	KEMIRA AC360	Titanium dioxide (and) Alumina (and) Triethoxycaprylyl silane	1.00%	Pigment
O5	EO100 Helios Skin Sienna	Pigment	4.00%	Pearl powder
O6	PMX-1184 Silicone Fluid ¹	Dimethicone and Trisiloxane	17.50%	Emollient
	FANCOL ID-CG	Isododecane	20.00%	Emollient
O7	FA 4004 ID Silicone Acrylate ¹	Isododecane (and) Acrylates/Polytrimethylsilox ymethacrylate Copolymer	20.00%	Film-forming
	d-α-Tocopheryl Acetate ²	Tocopheryl Acetate	0.20%	Antioxidant

Suppliers: 1. Dow Chemical; 2.DSM; 11. Paramelt

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com





Reference Formula

Sample preparation date: 5/17/21 4:21 PM

PROCEDURE

1. Prepare Phase O1 and heat to 80°C.
2. Add Phase O2-O6 one by one under stirring and keep heating at 60-70 °C.
3. Add O7 when the temperature is below 40°C.

* Disperse the O3 phase powder in the powdering machine and then add oil to the grind.

SPECIFICATION

APPEARANCE : Red Ointment

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com

