



Reference Formula

Sample preparation date: 2021/07/05

絲緞親膚身體乳

W211022-2

FORMULA

| Phase | Ingredient (Trade Name) | Ingredient (INCI Name) | % By Weight | Function |
|-------|---|---|---------------------|-----------------------------|
| W | ACULYN™ Siltouch Rheology Modifier¹ | Sodium Acrylate/Sodium Acryloyldimethyl Taurate Copolymer (and) Dimethicone (and) Trideceth-6 (and) PEG/PPG -18/18 Dimethicone | 3.50% | O/W Emulsifier |
| | | D.I Water | Up to 100% | |
| O | ERCAREL TCC V¹⁴ Lunaria Seed oil¹⁰ | Caprylic/Capric Triglyceride | 13.60% | Emollient |
| | | Lunaria Annuua Seed oil | 3.00% | Skin feel modifiers |
| A | Alpaflor Edelweiss EP² Oxy¹⁶ PMX-1507 Fluid¹ Preservative | Glycerin, Aqua, Leontopodium Alpinum Extract, Citric Acid, Sodium Benzoate, Potassium Sorbate | 1.00% | Chelating Agent |
| | | Perfume | 0.20% | Active |
| | | Dimethicone (and) Dimethiconol Preservative | 5.60% q.s | Moisturizer Preservative |

Supplier: 1. Dow Chemical; 2. DSM; 10. Northstar Lipids; 14. ErcaWilmar; 16. Lothar Streeck

PROCEDURE

1. Prepare Phase W and Phase O separately, add Phase O into Phase W under stirring.
2. Add Phase A in order under stirring.

SPECIFICATION

| | | | |
|------------|-------------------------|-------------------------------------|--|
| APPEARANCE | : Slightly Yellow Cream | | |
| pH | : approx. 5.49 ± 0.5 | (25°C) | |
| VISCOSITY | : approx. 12,680 ± 10% | (RVDV-E, RV-6, 50 rpm, 3 min, 25°C) | |

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.

TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com

