



Reference Formula

Created Date : 10/03/2018 4:32:00 PM
Last Save Date : 07/31/2019 4:53:00 PM

粉底凍 EP-CC-F-0065A_V1

FORMULA

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight
O1	ES-5373 Formulation Aid (Dow Chemical)	PEG-12 Dimethicone	2.50%
	Parsol EHS (DSM)	Ethylhexyl Salicylate	2.00%
	Parsol SLX (DSM)	Polysilicone-15	3.00%
	ERCAREL AB (Erca Wilmar)	C12-C15 Alkyl Benzoate	4.00%
	ERCAREL ISN (Erca Wilmar)	Isononoyl isononanoate	3.00%
	9040 Silicone Elastomer Blend (Dow Chemical)	Cyclopentasiloxane (and) Dimethicone Crosspolymer	2.00%
	FZ-3196 Volatile Alkyl Methyl Siloxane Fluid (Dow Chemical)	Caprylyl Methicone	3.00%
O2	Sunsolv™ BOS	Butyloctyl Salicylate	2.00%
	Pigment	Pigment	6.00%
W	D.I Water	D.I Water	62.72%
	EPITEX 66 (Dow Chemical)	Acrylates Copolymer	3.00%
	Glycerin	Glycerin	3.00%
	ACULYN™ 22 Polymer (Dow Chemical)	Acrylates/Steareth-20 Methacrylate Copolymer	3.00%
A	TEA(99%)	Triethanolamine	0.60%
B	Microcare MTI	Methylisothiazolinone/ Iodopropynyl	0.18%
		Butylcarbamate	

PROCEDURE

1. Phase O2 is uniformly mixed and added to O1 phase.
2. Add phase W to phase O1+2 and stir to emulsification.
3. Add phases A and B

SPECIFICATION

APPEARANCE	: Jelly	
pH	: approx. 6.82 ± 0.5	(25°C)

The information given in this publication is based on our current knowledge and experience and maybe used at your discretion and risk. It does not relieve you from carrying out your own precautions and tests. We do not assume any liability in connection with your product or its use. You must comply with all applicable laws and regulations and observe all third party rights.

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C.
TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278

Website : www.essence-plus.com E-MAIL : service@essence-plus.com

