

Reference Formula

Sample preparation date: 2023/12/15

礁護作用防曬乳 <u>M231215-1</u>

Description: In line with the concept of ocean friendliness, we promote fully mineral sunscreen to strike a balance between environmental friendliness and skin protection, and add *Sharomix*[™] *Amplify AM25* for effective microbial protection. In order to avoid the heavy and greasy skin feel, we use *FZ-3196 Volatile Alkyl Methyl Siloxane Fluid* and *PMX-200 Silicone Fluid 5.0 cSt* to make the lotion light.

<u>FORMULA</u>

Phase	Ingredient (Trade Name)	Ingredient (INCI Name)	% By Weight	Function		
	ES-5300 Formulation Aid ¹	Lauryl PEG-10	4.00	Emulsifier/		
		Tris(trimethylsiloxy)silyl ethyl Dimethicone		Dispersant		
	ERCAREL TCC V ¹⁴	Caprylic/Capric Triglyce ride	6.00	Emollient		
01	FZ-3196 Volatile Alkyl Methyl Siloxane Fluid ¹	Caprylyl Methicone	8.00	Emollient		
	PMX-200 Silicone Fluid 5.0 cS t ¹	Dimethicone	6.00	Emollient		
	Parsol TX ²	<i>Titanium Dioxide, Silic</i> a, Dimethicone	10.00	UV Filter		
	Parsol ZX ²	Zinc Oxide, Triethoxyca prilylsilane	3.00	UV Filter		
	D.I Water	D.I Water	Up to 100%	Water		
W1		a a				
	NaCl	Sodium Chloride	1.00	Thickener		
	NaOH(30%)	Sodium Hydroxide	Q.S	pH Adjuster		
A	EcoSmooth [™] Rice Husk Cos metic Powder ¹	Silica	1.00	Skin feel modifiers		
В	Sharomix [™] Amplify AM25 ²⁵	Phenoxyethanol (and)	0.80 Preservative			
		Chlorphenesin (and) Ca				
		prylyl Glycol (and) Did				
		ecyldimonium Chloride				
С	Perfume	Perfume	Q.S	Fragrance		
Supplier:	upplier: 1.DOW; 2.DSM; 25.SHARON					

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C. TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278







Reference Formula

Sample preparation date: 2023/12/15

PROCEDURE

- 1. Prepare Phase O1 and W1 separately.
- 2. Pour W1 into O1 slowly and stir until the lotion forms.
- 3. Add phase A, B, C one by one.

SPECIFICATION

APPEARANCE	: White lotion	
VISCOSITY	: approx. 5060 ± 10%	(RVDV-E, RV4, 20 rpm, 3 min, 25°C)
SPF and Star Rating	: SPF 90.10 ★★	
Boots		

The information given in this publication is based on our current knowledge and experience and maybe used at your discretion and risk. It does not relieve you from carrying out your own precautions and tests. We do not assume any liability in connection with your product or its use. You must comply with all applicable laws and regulations and observe all third party rights.

Recommendations contained, herein this Reference Formula, are advisory only.

4F-3, No. 100, Sec. 1, Jia Feng 11th Rd., Chupei, Hsin-Chu Hsien 30273, Taiwan, R. O. C. TEL No. : 886-3-657-9279 FAX No. : 886-3-657-9278 Website : www.essence-plus.com E-MAIL : service@essence-plus.com



Page 2 of 2